

MLT4060MVD

LED

Mobile Light Tower

GENERAC
MAGNUM




MLT4060MVD

LED MOBILE LIGHT TOWER

Purpose-designed for remote and autonomous applications in extreme environments, the MLT4060MVD light tower features a robust and durable construction with an advanced multi-speed engine that adjusts the speed to the power load for enhanced fuel efficiency. New, more powerful LED lights are built for long-lasting performance with minimal power consumption, enabling up to 533* hours on a single fuel fill.

APPLICATIONS

- Oil & Gas
- Mining
- Construction Sites
- Events
- Rental
- Roadwork



*Results based on engine manufacturer and field test data after 100-hour engine break-in period and may vary based on factors including age and maintenance of equipment, environmental conditions and fuel density. Consult the Owner's Manual for fuel and maintenance recommendations.

SPECIFICATIONS

Additional options available

MLT4060MVD	
USA (METRIC)	
Light Fixtures	(4) 296W LED
Total Fixture Lumens	172,200
Total Bare Bulb Lumens	N/A
Coverage @ 0.5 ft-c: ft ² (m ²)	19,526 (1,840)
Engine / Tier	Mitsubishi / Final Tier 4
Prime	10.5 hp @ 1800 RPM
Rated Power: kW	6
Output: amps	50
Usable Fuel Capacity: gal (L)	104 (394)
Est. Fuel Consumption @ Full Load: gph (Lph)*	0.549 (2.078)
Est. Fuel Consumption (Lights Only) gph (Lph)*	0.195 (0.738)
Max Runtime (Lights Only): hrs*	533
Mast Height, Deployed: ft (m)	23 (7.01)
Dimensions; Tongue Up, Mast Stowed: in (m)	106 x 68 x 100 (2.69 x 1.73 x 2.54)
Operating Weight: lbs (kg)	2770 (1256)
Dry Weight: lbs (kg)	1694 (768.4)
Max Wind Rating: mph (kph)	65 (105)
CSA Approved	Yes
Power Zone [®] Autolight Controller	Standard
Electric Winch	Optional

Specifications are subject to change without notice



DURABLE LED FIXTURES

5 year limited warranty on LED modules and drivers

BENEFITS

EXTENDED RUN TIME Ultra efficient LEDs and extra large fuel tank allow up to 533* hours of operation on a single diesel tank fill.

Power Zone[®] AUTOLIGHT CONTROLLER provides user friendly simple automatic start and stop selections, as well as dusk-to-dawn photo sensor operation and 7-day scheduled run periods.

EXTENDED SERVICE interval of 750 hours. The engine temperature management system combined with the low speed operation greatly reduce normal engine oil consumption, minimizing labor and maintenance costs.

SAFETY FEATURES include ground-adjustable light fixtures, ergonomic two-handled winch and guarded exhaust, engine pulleys and belts.

LONG LASTING LED modules have a life-expectancy of up to 10 years, and are warranted for 5 years - never change a bulb again.

COLD WEATHER package options allow operation in temperatures down to -40 F/C.



Looking for more light?

Generac Mobile Products offers a full line of powerful, mobile lighting solutions for every need. For more information, call us or visit GeneracMobileProducts.com.

24/7 • 365 Nationwide Service Support Network;

because when you're on the job, we're on the job.

LIGHT TOWERS | GENERATORS | PUMPS | HEATERS



*Assembled in the USA using domestic and foreign parts

Part No. 0202570

05/2018

©2018 Generac Power Systems, Inc. All Rights Reserved.
Specifications are subject to change without notice.

GENERAC® | **MOBILE PRODUCTS**

Generac Mobile Products, 215 Power Drive, Berlin, WI 54923
GeneracMobileProducts.com | 800-926-9768 | 920-361-4442