

Nedo measure-fix



Nedo mEasure-fix compact 10'

Measure interior dimensions quickly and reliably with the lightweight and handy telescopic measuring stick Nedo mEasure-fix compact 10'.

Simply place the mEasure-fix compact 10' in position, pull out the extending sections and conveniently read off the measurement from the analog display. Ideal in interior outfitting.

Nedo mEasure-fix compact 10' is very handy thanks to its compact dimensions, its light weight and its round telescopic tubes.

The display is attached at the foot of the mEasure-fix compact 10', so when measuring windows, the measured values can conveniently be read off at eye level. A two-way bubble is integrated into the display housing to facilitate taking horizontal and vertical measurements.

Features

- Compact dimensions
- Robust display housing with horizontal/vertical bubbles
- Circular telescopic tubes for convenient handling
- Supplied with case as a standard



Nedo mEasure-fix compact 10'

Ref.-No.	Measuring range	Length retracted	Graduation	Weight
F 380 213-185	24" to 119"	24"	1/16"	2 lbs



Nedo measure-fix

The Nedo measure-fix is a thoroughly tried-and-tested telescopic rule, which is designed to measure the widths of openings. Simply place the measure-fix in position, pull out the extending sections and read off the measurement from the analog display. Thanks to its ease of use, reliability and sturdiness, the Nedo measure-fix has become indispensable in most skilled trades, such as window frame making and interior outfitting.



Features

- Telescopic rule with analog display for internal measurements
- Telescopic sections made of sturdy, rectangular-profile aluminum to withstand rugged conditions on construction sites
- Sturdy display unit
- Graduations in millimeters and inches on a dimensionally stable metal measuring tape
- Heavy-duty rewind mechanism
- Spirit level for horizontal and vertical alignment
- Reliable, sturdy and precise

Nedo measure-fix

Ref.-No.	Measuring range	Length retracted	Graduation	Weight
F 180 113-185*	15" to 39"	15"	mm/inch	1.6 lbs
F 280 113-185*	21" to 78"	21"	mm/inch	2.1 lbs
F 380 113-185*	28" to 116"	28"	mm/inch	2.4 lbs
F 480 113-185*	34" to 157"	34"	mm/inch	3.0 lbs
F 580 115-185*	42" to 196"	42"	mm/inch	3.8 lbs

* supplied with carrying bag as a standard



Carrying bag for measure-fix