


# Nedo Angle Finders



Nedo angle finders Winkeltronic Easy, Winkeltronic and Winkelfix are designed to measure and transfer angles quickly, precisely and with the utmost ease. Simply place the shanks in position and the angle is accurately shown in degrees on the display. Two integral spirit levels ensure true horizontal and vertical positioning. While the Winkelfix models are equipped with an analog display, the Winkeltronic Easy and Winkeltronic show the measured angles digitally on a large, easy to read display.



Analog display



Digital display

You too will find measuring and transferring angles easier when using the Nedo Winkeltronic Easy, the Winkeltronic or one of the Nedo Winkelfix models.



Winkeltronic Easy Ref.-No. 405 100

## Winkeltronic Easy

Angle finder with digital read-off.

The handy dimensions with a shank length of less than 16", the low weight and the large, easy-to-read display, make the Winkeltronic Easy an ideal helper on the construction site, especially for interior outfitting or measuring bay windows.

- Resolution: 0.1°
- Accuracy:  $\pm 0.2^\circ$
- Hold function to keep a measured value on the display
- Zero adjustment at any given shank position
- Integral horizontal and vertical spirit levels
- Automatic switch-off function can be deactivated
- Supplied with carrying bag

### Nedo Winkeltronic Easy

Ref.-No.	Length of shanks	Resolution	Measuring range	Weight
405 100	15 3/4" (400 mm)	0.1°	0° to 200°	1.4 lbs

## Winkeltronic



Angle finder with digital read-off.

Winkeltronic is an ideal helper on the construction site, especially for interior outfitting or measuring bay windows: Precisely measure and transfer angles with an accuracy of  $\pm 0.1^\circ$ . The handling is very easy thanks to the symmetrical arrangement of shanks and the large, easy-to-read display.

- Resolution:  $0.05^\circ$
- Accuracy:  $\pm 0.1^\circ$
- Illuminated display
- Automatic switch-off after 3 minutes of non-use
- Hold functions keep a value on the display
- Zero adjustment at any shank angle
- Integrated horizontal and vertical spirit levels
- Power supply: 4 x 1.5 V (AA) batteries or 4 x 1.2 V rechargeable batteries
- Supplied with case as a standard

**Nedo Winkeltronic**

Ref.-No.	Length of shanks	Resolution	Measuring range	Weight
405 316-185	23 2/3" (600 mm)	0.05°	0° to 355°	3.3 lbs

**Nedo Winkelfix**

Angle finder with analog display.

Very easy-to-use: Simply place the Winkelfix in position and read off the angle rapidly and accurately from the display (in degrees). Available in different sizes.

- Resolution:  $1^\circ$
- Accuracy:  $\pm 0.25^\circ$
- Integral horizontal and vertical spirit levels
- Supplied with carrying bag



mini

shorty

maxi

**Nedo Winkelfix**

Ref.-No.	Length of shanks	Graduations	Measuring range	Compass points
500 101-185 shorty	12" (305 mm)	degrees	0° to 180°	no
450 111-185 mini	17" (430 mm)	degrees	0° to 180°	no
500 111-185 maxi	23" (600 mm)	degrees	0° to 180°	yes



Cases for Winkelfix